

 thrislington cubicles	
Product: ribbon veneer	Contact: t +44 1244 520 677 w www.thrislingtoncubicles.com e info@thrislingtoncubicles.com
k32 Specification	

k32 ribbon veneer

Manufacturer

Thrislington Cubicles Limited, Prince William Avenue,
Sandycroft, Deeside, Flintshire, CH5 2QZ.
t: +44 1244 520677 f: +44 1244 535670
e: info@thrislingtoncubicles.com

Specification: Overall cubicle height up to 2100mm with 100mm floor clearance.

Framework: Full anodised aluminium frame, with extruded headrail finished with wood veneer to the front face. Lock locates directly into vertical closing post, with integral full length buffer.

Door: 31mm finished thickness consisting of a 29mm ultra lightweight MDF core, rebated first, hand-lipped and faced with wood veneer. Concealed fixings within the door allow attachment to stainless steel pivot blocks, suspended from aluminium headrail and located onto a bottom pivot bracket. Door falls closed by means of a hydraulic door closer concealed within the aluminium headrail (alternatively, the closer can be factory set to fall open).

Fascia: 62mm finished thickness consisting of a 12mm moisture resistant MDF core, edged first and faced with wood veneer, bonded to an aluminium extrusion.

Divider: 17mm finished thickness consisting of a 15mm moisture resistant chipboard core, edged top and bottom, then faced with wood veneer. Supported 100mm from the floor using an engineered 304 grade stainless steel foot, with height adjustment.

Fittings: Engineered 303 grade brushed stainless steel lock, fixed through the door to the face plate for added strength. Sacrificial hard nylon shear tip to the lock finger, which locates into the vertical closing post. Complete with emergency release facility. Divider fixed to back wall using concealed steel brackets, fastened by through-fixings. Stainless steel coat hook supplied as standard.

Finishes:

Door: 1mm wood veneer from our standard range.

Fascia: 1mm wood veneer from our standard range.

Divider: 1mm wood veneer from our standard range.